

**WESTERSTRAND SPORTS SYSTEMS**  
**Section Multi-purpose Scoreboards – LED**



**DESCRIPTION – SCOREBOARD BASIC LED-140 – ART.NO. 117230-54**

Basic LED-140 is a single sided Scoreboard for indoor sports, for wall mounting.

The delivery includes:

- 1 pc. Multi-purpose scoreboard with built in siren (indoor use)
- 1 pc. Wall mounting kit according to description 2582.
- 1 pc. Instruction 2800.
- 1 pc Remote wireless with radio receiver for the scoreboard

**SPORTS: BASKETBALL – FUTSAL – HANDBALL – VOLLEYBALL – FLOORBALL  
INDOOR FOOTBALL – TENNIS – BADMINTON**



Scoreboard with built-in siren. The design makes it suitable for most indoor sports and can be combined with shottimers for basketball (add-on modules).

It is controlled from our self-instructing remote control unit with pre-programmed rules for each sport.

The included remote control unit is wireless.

<b>Match/Game time</b>	Count-up or down is indicated by four digits (minutes and seconds). As an option, regular day time can be indicated when no game is being played.
<b>Score indication</b>	000-999 (three digits per team)
<b>Period</b>	1-9 (1 digit)
<b>Penalty/Serve/Foul</b>	Indicated by dots (3 dots/team).
<b>Time-out</b>	Count-down of time is indicated instead of match/game time.
<b>Siren</b>	Built-in. Sounds automatically at finished game, time-out, break/pause. By manually pressing a key, the siren can also sound at any requested time.
<b>Front cover</b>	Non-reflective polycarbonate (DIN 18032)
<b>Service</b>	From the front side

**More detailed description of the function for each individual sports available on separate data sheets.**

We reserve the right to make changes at any time.

E 921A



**WESTERSTRAND URFABRIK AB Sweden**

P.O. Box 133, SE-545 23 TÖREBODA  
E-mail: info@westerstrand.se

Tel. +46 506-480 00 Fax +46 506-48051  
Internet: www.westerstrand.se



## MOUNTING



Mounting angle

## TECHNICAL DATA:

Case:	Aluminium, black
Front cover:	Polycarbonate 3 mm.
Digits:	LED's, SMD
Digit height:	140mm (score and time), 120mm (period)
Colour of digits:	Red
Colour of fixed text:	Yellow
Size of dots:	Ø 25mm
Colour of dots:	Red (3/team)
Exterior dimensions of case:	(WxHxD) 1000 x 700 x 100 mm
Weight:	Approx. 9 kgs
Reading distance:	Approx. 50 metres
Connection voltage:	230V 50-60Hz AC
Power supply and electronics:	Built-in
Power consumption:	Electronics max. 80 VA
Ambient temperature:	± 0°C up to +40°C
Siren:	Built in, 105dB



## DESCRIPTION: REMOTE CONTROL UNIT FOR BASIC LED140

Remote control unit with pre programmed rules (international) for respective sport. The alphanumeric LCD shows the same information as the Scoreboard.

### Remote control unit, art.No. 117600-31, for Radio (wireless) controlled Scoreboards

The delivery includes:

- 1 pc. 22038-01 Remote control unit with pre-programmed sports
- 1 pc. 40612-04 Battery eliminator
- 1 pc. 21599-11 Antenna receiver (built into the scoreboard)



### TECHNICAL DATA

Size	(WxHxD) 154 x 90 x 48 mm (excl. antenna).
Weight:	800 g.
Ambient temperature:	± 0°C up to +40°C.
Colour:	Black
Housing:	Aluminium
LCD-Display:	16x2 characters
Keypad:	20 buttons (4x5)
Battery operating time:	Approx 8 hours
Radio frequency:	868MHz

### OPTIONS

43064-00 Start/stop handle for match time

We reserve the right to make changes at any time.